


RODAN



CABLE ASSEMBLY WIND SENSOR CABLES

INTRODUCTION



“ We work hard to live up to our motto:
Manufacturing Relationship, Distributing Quality ”

QUALITY

Quality begins with our customers and a keen understanding of what it takes them to be successful in the world of mission-critical applications.

From design concept through product delivery and beyond, we make quality a part of our business in every phase of the process.

YOUR ONE - STOP SOURCE

RODAN has specialized in custom cable assemblies and wire harnesses and in addition to our own in-house production, we have production sites in Lithuania and Hungary.

We manufacture custom made cables for Wind Turbine Control sensor - Worldwide.

Our decades of expertise in manufacturing custom cable assemblies and value added processes, coupled with experienced and dedicated people, **allows us to be your one-stop source.**

PREFERRED SUPPLIER

Our focus on product quality makes us (RODAN Technologies) a preferred supplier for FT Technologies wind sensors.



The FT logo and FT waves are the registered trademark of FT Technologies Ltd and are used with their permission.

COLD SHRINK CONNECTOR SEALING KITS

The 3M PST B Series provide the correct Cold Shrink tube to make the installation of coax and low voltage connectors seals easy.

The installation does not require tooling, and the quality of the installation is less installer dependant.



- The outer Cold Shrink tube is made from special Silicone rubber material to provide an excellent seal and electrical insulation on the connector.
- The connector area is covered by silicone tube to provide mechanical and electrical protection during handling of the prepared cables and exercise.
- The kits passed the 100 kPa water pressure sealing test and met IEC 529 IP x8.

RODAN recommends the use of Cold Shrink for extra protection.

CABLE SPECIFICATION

OVERMOLDED SOLUTIONS

Our overmolding technologies offers superior strain relief and is designed to withstand high temperatures and harsh environments.



- YOU SPECIFY, WE PRODUCE



RATED UL94 V-0

MATERIAL IN ELASTOLLAN TPU

HIGH WEAR AND ABRASION RESISTANCE


VERY GOOD LOW-TEMPERATURE FLEXIBILITY

HIGH RESISTANCE TO OILS, GREASES, OXYGEN AND OZONE




SPECIFICATIONS

FT DIGITAL SENSOR L01-901-D-XXX



Interface	5 pin
Connector type	Fischer SS104Z053-130
Protection class	IP66*
Cable type	Li12YC11Y
White Paper	Download


FT ANALOGUE SENSOR L01-905-D-XXX



Interface	8 pin
Connectors type	Fischer SS104Z129
Protection class	IP66*
Cable type	Li12YC11Y
White Paper	Download

The Cables comply to the RoHS Directive
*Ip68 available on request

ORDERING INFORMATION



MANUFACTURING RELATIONSHIP, DISTRIBUTING QUALITY

RODAN



RODAN Technologies A/S

Blokken 38 / 3460 Birkerød / Denmark
Tel: +45 45 82 12 94
Email: sales@rodantech.com

RODANTECH.COM

A company in the Rosenberger Group

